

EMRI TEAK WHEELS, MINI WHEELS and TILLERS.



Model: WHZ.
Follow up wheel.
Mech. Travel ± 90
EMRI teak wood Helmsman wheel.
Stainless Steel Spokes.
Seawater resistant aluminum.
Black Anodized Chrome sealed.
Diameter: 280 mm.



Model: WHX
Follow up wheel.
Mech. Travel ± 160

Full circle Teak Wood Wheel
Stainless Steel Spokes
Seawater resistant aluminum
Black Anodized Chrome sealed

Diameter 380 mm.



Model: WHW
Follow up wheel.
Mech. Travel ± 160

Classic spoke Helmsman wheel

Full circle Teak Wood Wheel
Stainless Steel Spokes
Seawater resistant aluminum
Black Anodized Chrome sealed

Diameter 348 mm or

Mini wheels



Model: HCWxxx-A
Follow up miniwheel.

Palm sized teak mini wheel with
call up push buttons.

Stainless Steel Spokes
Seawater resistant aluminum
Black Anodized Chrome sealed

Wheel Diameter:120 mm



Model: HCW
Palm sized teak mini wheel.

Stainless Steel Spokes
Seawater resistant aluminum
Black Anodized Chrome sealed

Wheel Diameter:120 mm



Model : HCA

Follow up mini wheel with call up
push buttons.

Seawater resistant aluminum
Black Anodized Chrome sealed

Size:



Model: HCU

Seawater resistant aluminum
Black Anodized Chrome sealed

NFU Tillers and Panels



Model: NFU-Tiller

Stainless Steel Spoke
Seawater resistant aluminum
Black Anodized Chrome
sealed



ENP314

Non Follow Up Panel
Follow up /Normal Steering
switch.
PORT/STBD NFU Push
buttons.
Size: 145x115 mm.



ENP622

Mounted with Lamp dimmer,
"NFU Steering" Lamp, Buzzer
and Lamp test push button.

Size: 192 x 192 mm.



ENP625

Mounted with "NFU Steering",
"Wheel Steering" and Buzzer.

192 x 192